

Revision date : 2018/04/17 Version: 5.0

Page: 1/12 (30520628/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Termidor Dry Termiticide

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	471574
EPA Registration number:	499-546
Synonyms:	fipronil

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Aquatic Acute	1
Aquatic Chronic	1
Combustible Dust	Combustible Dust (1)

Hazardous to the aquatic environment - acute Hazardous to the aquatic environment - chronic Combustible Dust

Label elements

Hazard Statement:

Revision date : 2018/04/17 Version: 5.0 Page: 2/12 (30520628/SDS_CPA_US/EN)

May form combustible dust concentration in air.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
120068-37-3	0.5 %	fipronil
9004-34-6	> 95.0%	Microcrystalline cellulose

4. First-Aid Measures

Description of first aid measures

General advice: Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Rinse mouth and then drink plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms: lethargy, tremors, convulsions

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide,

Revision date : 2018/04/17 Version: 5.0 Page: 3/12 (30520628/SDS_CPA_US/EN)

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways. Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Revision date : 2018/04/17 Version: 5.0

Page: 4/12 (30520628/SDS CPA US/EN)

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Avoid dust formation. Keep away from oxidizable substances. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1).

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Microcrystalline cellulose	OSHA PEL	PEL 5 mg/m3 Respirable fraction ; PEL 15 mg/m3 Total dust ; TWA value 5 mg/m3 Respirable fraction ; TWA value 15 mg/m3 Total dust ;
	ACGIH TLV	TWA value 10 mg/m3;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Revision date : 2018/04/17 Version: 5.0

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Odour: Odour threshold:	powder odourless not applicable, odour not perceivable
Colour: pH value:	white approx. 5.0 - 7.0 (20 °C)
Melting point:	The product has not been tested.
Flash point: Lower explosion limit:	not applicable, the product is a solid As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	Based on the water content the product does not ignite.
Density:	approx. 1.52 g/cm3 (20 °C)
Vapour density: Partitioning coefficient n- octanol/water (log Pow):	not applicable not applicable
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

Revision date : 2018/04/17 Version: 5.0

> Viscosity, dynamic: Solubility in water:

Evaporation rate:

Page: 6/12 (30520628/SDS_CPA_US/EN)

No decomposition if stored and handled as prescribed/indicated. not applicable, the product is a solid dispersible not applicable

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: Based on its structural properties the product is not classified as oxidizing.

Dust explosivity characteristics: Kst: approx. 86 m.bar/s Data based on information provided by FMC for Lattice NT 200 cellulose

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1) (St 1)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable. Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

Incompatible materials

strong oxidizing agents

Hazardous decomposition products

Decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition: Possible thermal decomposition products: carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Revision date : 2018/04/17 Version: 5.0 Page: 7/12 (30520628/SDS_CPA_US/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Slightly toxic after short-term inhalation.

Oral Type of value: L

Type of value: LD50 Species: rat Value: > 5,000 mg/kg (OECD Guideline 423)

Inhalation Type of value: LC50 Value: > 5 mg/l Exposure time: 4 h

Dermal Type of value: LD50 Species: rat Value: > 5,000 mg/kg (OECD Guideline 402)

<u>Assessment other acute effects</u> Assessment of STOT single: The available information is not sufficient for the evaluation of specific target organ toxicity.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the skin. May cause slight irritation to the respiratory tract. May cause slight irritation to the eyes.

<u>Skin</u> Species: rabbit Result: Slightly irritating.

<u>Eye</u> Species: rabbit Result: Slightly irritating.

<u>Sensitization</u> Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test Species: guinea pig Result: Skin sensitizing effects were not observed in animal studies. Method: OECD Guideline 406

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date : 2018/04/17

Page: 8/12 (30520628/SDS_CPA_US/EN)

Version: 5.0

Information on: Fipronil

Assessment of repeated dose toxicity: Causes mortality and signs of neurotoxicity through prolonged or repeated exposure.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of carcinogenicity: In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Symptoms of Exposure

lethargy, tremors, convulsions

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Very toxic (acute effect) to aquatic organisms.

Very toxic to aquatic life. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Fipronil LC50 (96 h) 0.0852 mg/l, Lepomis macrochirus

Aquatic invertebrates

Information on: Fipronil

Revision date : 2018/04/17 Version: 5.0 Page: 9/12 (30520628/SDS_CPA_US/EN)

EC50 (48 h) 0.19 mg/l, Daphnia magna EC50 (96 h) 0.00017 mg/l, Mysidopsis bahia

Aquatic plants

Information on: Fipronil EC50 (72 h) 0.103 mg/l (growth rate), Scenedesmus subspicatus No observed effect concentration (14 d) > 0.16 mg/l, Lemna gibba

Chronic toxicity to fish

Information on: Fipronil No observed effect concentration (35 d) 0.0029 mg/l, Cyprinodon variegatus

Chronic toxicity to aquatic invertebrates

Information on: Fipronil No observed effect concentration (28 d) 0.000008 mg/l, Mysidopsis bahia

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: Fipronil

Bioconcentration factor: 321, Lepomis macrochirus Accumulation in organisms is not to be expected.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Revision date : 2018/04/17 Version: 5.0

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA:

The waste codes are manufacturer's recommendations based on the designated use of the product. Other use and special waste disposal treatment on customer's location may require different wastecode assigments. This product is not regulated by RCRA.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG	
Hazard class: Packing group: ID number: Hazard label: Marine pollutant: Proper shipping name:	9 III UN 3077 9, EHSM YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains FIPRONIL)
Air transport IATA/ICAO	
Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	9 III UN 3077 9, EHSM ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains FIPRONIL)

15. Regulatory Information

Federal Regulations

Registration status: Crop Protection TSCA, US released / exempt

Revision date : 2018/04/17 Version: 5.0

Page: 11/12 (30520628/SDS_CPA_US/EN)

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including TOLUENE, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:

Health: 2 Fire: 2 Reactivity: 0 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. HARMFUL IF INHALED. May cause moderate but temporary irritation to the eyes. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. Wash thoroughly after handling.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2018/04/17

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR

Revision date : 2018/04/17 Version: 5.0 Page: 12/12 (30520628/SDS_CPA_US/EN)

TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET